

EXIT

ples ha

PANIC DEVICES

NEW FINISH





NEW FINISH ENDUR4NCE

ENDUR4NCE has been developed in response to the need to give panic exit devices a durable surface finish. Conceived by ISEO, this finish has an attractive metal-like appearance and is extremely hard-wearing.



The ENDUR4NCE finish is applied in a 3-step process:

- WITH A CHROMATE PRIMER LAYER
- AN INITIAL LAYER OF POWDER COAT PAINT
- A SECOND COAT OF LIQUID BASED PAINT COMBINED WITH THE ANTIGERM* PERMANENT ANTIBACTERIAL TREATMENT.

In-house testing conducted in compliance with the standard UNI EN 1670 demonstrate the excellent performance of this finish, which resists up to 1000 hours of neutral salt spray (NSS) corrosion testing.

The ENDUR4NCE finish combined with the AntiGerm antibacterial treatment makes ISEO panic exit devices ideal for installation in particularly corrosive environmental conditions, in public facilities and for all applications where hygiene and safeguarding health are fundamental prerequisites, such as: hospitals, clinics, nursing homes, crèches and nursery schools.

The superior corrosion resistance of the visible components of ISEO rim type panic exit devices is matched by the latches in stainless steel, while the self-locking systems on all latches increases burglary resistance.



*See AntiGerm brochure for more information.





AVAILABLE FOR: IDEA BASE PUSH EXTERNAL CONTROLS

> ISEO presents **ENDUR4NCE**, a new highly durable finish **available for both Push and Touch versions of ISEO panic exit bars**.

> ENDUR4NCE also includes the AntiGerm* treatment. The long-lasting anti-bacterial action of this treatment ensures all-round safety and protection in any environment. The ISEO range of rim application panic exit bars is modular and includes versions with one, two or three latching points.

All ISEO panic devices are designed, engineered and manufactured in Italy: offering yet another guarantee of superlative quality.

COMPLIANT WITH STANDARD

ENDUR4NCE FIRE RESISTANT MORTICE TYPE



ENDUR4NCE is synonymous with durability, even in particularly corrosive environmental conditions and in high traffic applications.

ENDUR4NCE also stands for strength and elegance. Installing panic exit bars with this new finish lends a touch of harmony and style to any setting, even the most elegant.

The distinctive visual appearance of this finish also contributes to accentuating the sense of robustness and **safety** of the door itself.

compliant with standard EN1125:2008



Panic exit bars with the **ENDUR4NCE finish may be used with the mechanical and electromechanical self-closing locks of the Multiblindo Exit**** range. This means that the durability, resilience and elegance of ENDUR4NCE is matched by the guaranteed security and safety of the lock, in a single ISEO system.

**See Multiblindo brochure for more information.

compliant with standard EN1125:2008



Iseo Serrature s.p.a. Via San Girolamo 13 25055 Pisogne (BS) Italy Tel. + 39 0364 8821 iseo@iseo.com